


Decorative Faux Leather Collection



Crib 5 Faux Leathers in 2 designs in a range of metallic and matt colours, for contract upholstery solutions.

skopos



Decorative Faux Leather Collection



BAKAU by Skopos





Kadal B1 Tusk



Satomi B2 Pumice

Satomi B1 Limestone




Kadal B2 Bone



Kadal B3 Armadillo



Satomil B9 Ash



Satomi B3 Clay

BAKAU by Skopos







Satomi B12 Passion Flower





Kadal B4 Platinum



Kadal B5 Midas




Satomi B10 Galena



Kadal B6 Tigertail


BAKAU by Skopos



Kadal B8 Stingray

Satomi B4 Mercury

Satomi B15 Carbon



Satomi B8 Azurite

Bakau

S	DESIGN	COMPOSITION	SUITABLE USE	WEIGHT	WIDTH	REPEAT	CLEANING		
CATION	DESSIN	COMPOSITION	UTILISATION	POIDS	LARGEUR	RACCORD	ENTRETIEN		
	DESIGN	ZUSAMMENSETZUNG	VERWENDUNG	GEWICHT	BREITE	PAPPORT	PFLEGE		
	DISEGNO	COMPOSIZIONE	UTILIZZO	PESO	LARGHEZZA	RAPPORTO	MANUTENZIONE		
	DISENO	COMPOSICION	USO	PESO	ANCHO	REPETICION	LAVADO		
SPEC	Kadal	1.6% PU, 78.2% PVC, 10.1% P, 10.1% V	留	640gsm	140cm	0cm	¥× ××		
	Satomi	1.6% PU, 78.2% PVC, 10.1% P, 10.1% V	f	640gsm	140cm	0cm	$\bowtie \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$		

The fabrics in this collection benefit from an antimicrobial finish.

DESIGN DESSIN	CURTAIN FR RIDEAUX FR			UPHOLSTERY FR GARNITURE FR					UPHOLSTERY GRADE BEDDING FR QUALITE DE GARNITURE COUCHAGE FR			$\bowtie \boxtimes \boxtimes \boxtimes \boxtimes$			
DESIGN	GN VORHANG FR					BEZUGSSTOFF FR			F FR		BEZUGSSTOFFQUALITAT	BETTZEUG FR		Cleaning process	
DISEGNO	TENDA FR					IMBOTTITE FR					MATINDALE TEST	COPRILETTI FR		Regularly use a soft brush	
DISENO	CORTINA R					TAPICERA IG					GRADO TAPICERIA	ROPA DE CAMA IG		or vacuum to remove surface dust and marks.	
	BS5867 Type B	USA NFPA 701#1	IMO FTPC Part 7	French M1	Italian Class 1	German B1	BS5852 Crib 5	EN10231 1+2	USA NFPA 260	IMO FTPC Part 8	BS7176 Low & Medium Hazzard		BS7175	IMO FTPC Part 9	For more stubborn dirt use a damp microfibre cloth and water, working in a circular motion. Do not rub vigorously as this may damage the surface. Do not machine wash. Avoid any contact with bleach based cleaning agents as this can cause significant damage to the fabric.
Kadal	n/a	n n/a n/a n/a n/a n/a \checkmark		\checkmark	\checkmark	~	100,000	n/a	n/a						
Satomi	n/a	n/a	n/a	n/a	n/a	n/a	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	100,000	n/a	n/a	

Bakau fabrics are not suitable for piping.

This product is not suitable for use in spa or swimming pool areas where contact with chlorine is possible.

SALES OFFICE & EXPRESS SAMPLES SERVICE Tel: + 44 (0) 1924 436666 Fax: + 44 (0) 1924 454575 Mon - Thurs 8.15am to 5.00pm, Fri 8.15am to 3.45pm SKOPOS FABRICS LTD Head office, Studio & Showroom, Providence Mills, Earlsheaton, Dewsbury, West Yorkshire WF12 8HT, UK Tel: + 44 (0) 1924 465191 Fax: + 44 (0) 1924 454575 e-mail: sales@skopos.co.uk web: www.skoposfabrics.com We have sales representatives throughout the world. Please telephone + 44 (0) 1924 436666 for details of your nearest Agent.

NB: Digital colour swatch for colour reference only. Sample cutting must be referred to prior to specification.

Skopos fabrics LTD.

It is the contractor's responsibility to ensure all cleaning instructions are passed onto the end user.

All copyright, design rights and intellectual property rights existing in our designs and products and in the images, text and design of this pattern card will remain the property of Skopos Fabrics Ltd. Any infringement of these rights is actionable in law and will be pursued vigorously.

We are constantly striving to improve the quality of our products and services, also legislation, standards and test methods may dictate change within the lifetime of this pattern card: We therefore reserve the right to alter our specifications accordingly. Please refer to our current price list or telephone our sales desk for confirmation of current specifications.

THIS CARD REMAINS THE PROPERTY OF SKOPOS FARICS LTD. PLEASE DO NOT DISPOSE OF THIS CARD, IT CAN BE RECYCLED. PLEASE CONTACT SKOPOS FOR COLLECTION.

TESTING



